


1/5



**FIG. 1 (Prior Art)**




FIG. 2 (Prior Art)

3/5

300

Field	Byte Length	Byte Offset	Description
Header			
Signature	4	0	'SLIT' Signature for the System Locality Information Table.
Length	4	4	Length, in bytes, of the entire System Locality Information Table.
Revision	1	8	1
Checksum	1	9	Entire table must sum to zero.
OEMID	6	10	OEM ID
OEM Table ID	8	16	For the System Locality Information Table, the table ID is the manufacturer model ID.
OEM Revision	4	24	OEM revision of System Locality InformationTable for supplied OEM Table ID.
Creator ID	4	28	Vendor ID of utility that created the table. For the DSDT, RSDT, SSDT, and PSDT tables, this is the ID for the ASLCompiler.
Creator Revision	4	32	Revision of utility that created the table. For the DSDT, RSDT, SSDT, and PSDT tables, this is the revision for the ASL Compiler.
Localities	8	36	Indicates the number of localities in the system.
Entry[0][0]	1	44	Matrix entry (0,0), contains a value of 10.
...			
Entry[0][Localities-1]			Matrix entry (0,Localities-1)
Entry[1][0]			Matrix entry (1,0)
Entry[Localities-1][Localities-1]			Matrix entry (Localities-1,Localities-1), contains a value of 10

FIG. 3

4/5




FIG. 4

5/5




FIG. 5